



Quick Start Guide

SETTING UP

- 1. Insert 2 x AA batteries and wait until the instrument no longer displays 'init'.
- 2 Download and install the ETI app found in the Apple App Store and Google Play.





- 3. Follow the onscreen instruction to add your new ThermaQ Wi-Fi to the app.
- A detailed troubleshooting guide is accessible during setup by pressing the '?' button in the top left corner.

BATTERY CHANGING

You will need a flat-headed screwdriver (provided in box).

- Place the instrument display-down on a solid surface.
- 2. Unscrew and remove the battery cover.
- 3. Remove batteries (top one first).
- 4. Fit new batteries, noting the polarities marked on the plastic.
- Replace battery cover, then tighten battery screw.
- 6. Dispose of the old batteries appropriately.

If this is the first time the instrument has been used then it will need setting up in the ETI app. If it has previously been used then it will attempt to reconnect to the Wi-Fi and continue recording.

WARNING: IPA and other solvents may cause damage to the case and screen of this instrument.

Environmental conditions may affect the signal strength

GUARANTEE

This instrument carries a two-year quarantee against defects in either components or workmanship. During this period, products that prove to be defective will, at the discretion of ETI, be either repaired or replaced without charge. This guarantee does not apply to probes, where a six-month period is offered. The product quarantee does not cover damage caused by fair wear and tear, abnormal storage conditions, incorrect use, accidental misuse, abuse, neglect, misapplication or modification. Full details of liability are available within ETI's Terms & Conditions of Sale at etiltd.com. In line with our policy of continuous development, we reserve the right to amend our product specification without prior notice.

Full operating instructions can be found on the ETI app.

INSTRUMENT RECORD CARD

Serial no			
Calibrated by _		Date	
	0 °C	100 °C	

This instrument has been checked or calibrated against reference instrument(s) calibrated by a UKAS Accredited Calibration Laboratory.

PLEASE NOTE: Due to regular software updates, please visit the download page on our website etiltd.com/software to ensure you have the latest version.



